La Universidad Órgano científico-sociocultural de la Universidad de El Salvador

Nueva Época

Número 14


abril-junio, 2011







Arqueología de El Salvador








Colección Bicentenario





La Universidad órgano científico-sociocultural de la Universidad de El Salvador





Nueva Época Número 14, ABRIL - JUNIO, 2011

Carta del director	3	Atalaya, un sitio preclásico en las	133
Prefacio HÉCTOR SAMOUR	5	costas de Acajutla FABRICIO VALDIVIESO	
Prólogo a la presente edición RUFINO ANTONIO QUEZADA	9	La Laguneta, sitio arqueológico de Oriente: un estudio del paisaje cultural	185
A manera de prólogo RAMÓN D. RIVAS	11	FABIO ESTEBAN AMADOR	
El complejo Guazapa en El Salvador: La diáspora tolteca y las migraciones pipiles WILLIAM R. FOWLER	17	Resumen de investigaciones geofísicas y arqueológicas al sur de Joya de Cerén, 2007 PAYSON SHEETS	207
La Costa del Bálsamo durante el post- clásico temprano (900-1200 d. C.): una aproximación al paisaje cultural nahua-pipil	67	Rethinking southeast Maya agricul- ture: A view from the manioc fields of Joya de Cerén CHRISTINE DIXON	215
MARLON ESCAMILLA Etnicidad chorotega en la frontera sur de Mesoamérica GEOFFREY MCCAFFERTY	91	Agricultura maya clásica en el com- plejo Joya de Cerén. Plataformas, senderos y otras zonas limpias GEORGE MALOOF	229
El papel del templo en el paisaje pipil: Excavaciones de un templo postclásico en la zona de los Izalcos KATHRYN SAMPECK	113	Transformaciones de identidad en El Salvador en la época colonial temprana: gente y cerámica de la villa de San Salvador en el siglo XVI JEB J. CARD	245



La revista más antigua de El Salvador Fundada el 5 de mayo de 1875 Director fundador: Doctor Esteban Castro

Rethinking southeast Maya agriculture: A view from the manioc fields of Joya de Cerén. El Salvador

Christine C. Dixon

Mesoamerican scholars have recently modified normative. over-simplified reconstructions of ancient Maya agriculture by seeking multiregional perspectives, which account for variations in micro-environments and ecologies, edaphic conditions, soil chemistry, agricultural strategies, and the complexities of community and individual cultivation choices [Beach et al, 2002; Dunning, 1989, 1992, 1996; Fedick, 1996; Fedick and Ford, 1990; Killion et al., 1989; Robin, 1999, 2003, 2006; Webb et al., 2004; Wingard, in press]. The Mesoamerican triad of maize, beans, and squash remains central to these updated reconstructions, however the significant role of a variety of other cultigens and agricultural strategies are beco-

ming apparent as methods of recovery are advanced and interpretations are revised [Fedick, 1996]. Questions remain unanswered about ancient Maya subsistence, particularly the role that root crops such as manioc (Manihot sp.) played. Lack of material evidence for Classic Period Maya (AD 250-800) agriculture has been identified as one of the key restricting factors in advancing our understanding of these practices [Murtha, 2002]. Thus, the evidence for cultivation from Cerén. El Salvador affords a remarkable opportunity to examine ancient Maya agriculture and to produce a more accurate reconstruction of this community's subsistence system. This paper specifically focuses on the latest data and interpretations of manioc cultivation at a Classic Maya site.

The ancient Maya village of Cerén is located in west-central El Salvador and is situated on a terrace west of the Río Sucio in the Zapotitán Valley [Sheets, 2006]. The Cerén village was rapidly abandoned when the nearby Loma Caldera volcanic vent erupted approximately 1500 years ago (c. AD 590 SD 90). Within a few days to one week, the entire site was buried under multiple meters of volcanic ash, resulting in the unparalleled preservation of a Classic Maya site [Sheets, 2002]. Since 1978 extensive archaeological research has been conducted at Cerén and the extraordinarily preserved structures, artifacts, and agricultural fields continue to profoundly contribute to understandings of ancient Maya commoners [Sheets, 2002]. In addition to the agricultural ridges, furrows, and beds themselves, the impressions of plants have been preserved in the Loma Caldera ash at Cerén, so that precise replicas of the plants can be made by filling hollows with plaster [Sheets, 2002]. Thus, individual plaster casts of plants document fine-grained detail such as root size and shape, corn kernels, plant stalks, and even some leaves [Sheets, 2002, 2009]. The plants that were grown

at Cerén include malanga (Xanthosoma sp.), maize (Zea mays), manioc (Manihot sp.), squash (Cucurbita sp.), cotton (Gossypium hirsutum), nance (Brysonima crassifolia), chile peppers (Capsicum annuum), hackberry (Celtis sp.), cacao (Theobroma cacao), and others [Lentz et al., 1996; Sheets and Woodward, 2002]. The emphasis here is on one cultigen, manioc, and the fields where it was grown south of the Cerén village center.

Manioc is a bush that produces large roots with approximately five to ten tubers per plant. The plant favors areas with good drainage and less compacted soils [Cock, 1985; Hansen, 1983]. The cultivation of manioc has long been hypothesized as potentially significant to ancient Maya diets for a variety of reasons: it has a high caloric content, it is relatively undemanding on the soil, and it tolerates droughts well [Bronson, 1966]; Research involving the role of manioc in Classic Maya subsistence has suffered from the scarcity of direct evidence for its cultivation [Crane, 1996; Flannery, 1982; Pohl et al., 1996; Pope et al., 2001; Miksieck, 1991: 180]. Given the ease with which manioc can be cultivated and its particular tolerance of poor soils and

droughts, it is likely this was utilized in various regions throughout the dynamic and varied Maya agriculture landscape. The Cerén research affords valuable insights into manioc production at one Classic Period village.

The initial 2007 discovery of regularly spaced and wellconstructed beds found 200 meters south of the site center, combined with the size of tuber casts. indicated the extent of manioc production at Cerén was much greater than previously recorded [Dixon, 2007; Sheets et al., 2009] (Figure 1). Interestingly, all of the fields were harvested, while in a few areas partially replanting had occurred. As is typical of many root crops, manioc rots within one to two weeks of removal from the ground, so a large harvest suggests that processing also occurred. One typical way to process manioc consists of removing the external cortex (or skin) of the tubers, cutting the tuber into small pieces, drying these in the sun, and then grinding them into a flour, referred to as almidón in the Cerén area today [Quezada Perla personal communication, 20091.

Three distinct manioc plots have been identified at Cerén to date (Figure 2). It was grown in large beds approximately 20 cm

wide, 22 cm in height, and spaced 1 meter from ridge-top to ridge-top. These separate plots of manioc growth were identifiable by clear boundaries between the manioc beds and areas of open spaces, maize fields, and other manioc fields [Dixon, 2009].

Differences in ridge height, spacing, and of course the plant casts all make it possible to readily distinguish manioc from maize fields (Figure 3). One boundary, the eastern boundary of Manioc Field 1 is marked by a separation of a maize field in the north and Manioc Field 2 in the south and this boundary provides an interesting look at the relationship between maize and manioc cultivation in this area. The northern ridges of this maize field are typical in height and spacing for maize, however, in the southern area the maize ridges gradually increase in size and in ridgetop to ridgetop spacing between bedsbecoming more typical of manioc fields. Maize plants that were present at the time of the eruption document that these ridges were dedicated to maize production, however, it appears a portion of this field might have been used at one time to cultivate manioc given the size and spacing of the ridges and beds. This type of crop rotation illustrates the dynamic



Figure 1



Figure 2

nature of farming choices including the shifting from one cultigen to another in the same location. Additionally, all of the maize fields previously excavated at Cerén were planted in ridges perpendicular to slope in order to maximize water infiltration [Sheets, 2002]. The maize located east of the manioc field was planted parallel to the ground slope with no physical separation between manioc and maize. This organization of fields maximizes water drainage, which creates a beneficial environment for manioc growth. While in a maize-centric perspective we might expect to see maize cultivation dominating the layout for agricultural fields, in this case it is clear that manioc needs were prioritized over maize.

Along Manioc Field 1's eastern boundary, the southern portion is marked by the staggered orientation of manioc beds to the west and those to the east, both of which are constructed with the same style, height and spacing. Given that good drainage is important for manioc growth, it seems unlikely that this transitional area is related to drainage or erosion control. It is more likely that this boundary is marking a change in land tenure, perhaps even different land ownership [Dixon, 2010].

Manioc Fields 1 and 2 and Manioc Field 3 have very different bed constructions [Dixon, 2009, 2010] (Figure 4). The beds of Manioc Fields 1 and 2 were constructed with broad, flat tops and well-packed almost vertical walls, while the beds of Manioc Field 3 are distinctive in their hyperbolic shape and greater height and width. This field is almost twice the height of the other manioc beds at the site.

The stylistic differences between manioc beds were likely either a strategy to mitigate excess run-off and/or the material expression of how different farmers envision proper manioc planting. The larger, hyperbolicshaped beds might represent an adaptive response to the issue of erosion; however, the ground slope in Manioc Fields 1, 2, and 3 shows no significant variation. Paleotopographic studies further upslope from these fields would allow more in-depth assessment of whether this change in bed construction was related to controlling runoff. From current analysis, neither advantages nor disadvantages to either construction style are apparent in these adjacent fields. If topographic reasons for different types of manioc fields are ruled out, then it very well may be that these stylistic differences




Figure 3



Figure 4



represent the autonomous choices and practices of different Cerén farmers [Dixon, 2009, 2010; Sheets, 2009]. Despite the stylistic differences, the manioc beds shared several characteristics which indicate an overarching field organization for the region: 1) their overall orientation is 120° east of magnetic N, 2) all manioc fields drain towards the Rio Sucio, 3) the field boundaries between plots are consistently aligned to 120° and 30° east of magnetic North. and 4) all of these beds had been harvested just prior to the Loma Caldera eruption [Dixon, 2009; Sheets, 20091.

Prior to our 2007 discovery of separate manioc fields, a few unharvested manioc plants were found within the Cerén village center, such as the manioc found in the kitchen-garden of Household 1 [Sheets, 2002]. The small number of manioc plants found and their location in domestic contexts, like the kitchen garden, suggested that manioc was not a main crop but used to supplement the diet. It is likely that these manioc plants were utilized in a manner similar to that of its use in Joya de Cerén today. Namely, the roots were harvested only when immediately needed for household consumption, and otherwise remained in natural

storage growing in the garden [Sharer, 2002, 2006]. The differences in the kitchen garden manioc located in the center of the villaae and the full-fledaed manioc fields to the south leads one to hypothesize that there were very different functions of each and perhaps conceptual differences as well. The intensive manioc fields appear to be employed well beyond simple household consumption. It is possible that inhabitants were involved in the production of flour (almidón) beyond their own needs, something which can be considered to be intermittent crafting or multi-crafting, following Hirth [2009]. Further research into the quantity of manioc grown at Cerén will facilitate an assessment of the distribution, production, and consumption of manioc. Questions about distribution, whether manioc was confined to the household economy, exchanged within the village, or distributed far beyond the village will enlighten us about the domestic economy of the inhabitants. The nature of consumption also needs to be considered, since manioc foodstuffs may have been eaten or drunk in massive feasts and/or as part of quotidian meals. Just like other foods, such as maize and animals, manioc may have been consumed in mundane and sa-

cred contexts [Nancy Gonlin personal communication, 2011; Gonlin and Lohse, 2007; Masson, 19991. The fine-grained chronology provided by the Loma Caldera eruption affords a high degree of accuracy in assessing events at Cerén. It is highly likely that harvesting of the manioc fields and a ritual feast within the village [Sheets, 2002] coincided. Cerén's ritual feasting evidence near Structure 10 included the remains of a deer-skull headdress [Brown, 2001; Sheets, 2002], surely a ceremonial artifact. Ethnographically, the white-tailed deer is still utilized in the cuch ceremony of modern Maya groups to ensure a successful harvest [Pohl, 1981]. Harvest rituals and feasts have been documented as important aspects of many cultures both past and present [Dietler and Hayden, 2001]. Agricultural production is directly connected with feasting in that agricultural products are the basis for such community events and the organization of production and labor are vital elements of hosting a successful feasting event. Taken together, the deer-skull headdress, the massive quantity of harvested manioc, the coordinated manioc and maize harvests, and time of the year all suggest that the villagers were on the verge of a major cultural event when the earth

shook and the sky filled with lava and ash.

As Nancy Gonlin and I have discussed elsewhere, the maize-centric views of Mesoamerican researchers might be biasing us to ignore the significant contributions of other crops to ancient Maya diets, culture, and ideology [Gonlin and Dixon, 2011]. Consider the possibility that Cerén is in fact similar to many other sites in the Maya region both in terms of dietary consumption and production. An interesting shift then occurs in our perception of ancient Maya cultivation and culture. While undoubtedly maize fields grew throughout the Maya area, perhaps other intensively cultivated crops, in particular manioc, were much more prevalent than our previous reconstructions have included. It is hoped that recent lithic analysis will aid in correcting at least part of this conception [Heindel, 2011; Sheets, 2011].

Assessing the quantity of manioc production at Cerén will be a key aspect to examining staple crop production at the site and reanalysis of previously collected geophysical data might aid in this process. One potential area of additional manioc cultivation has already been identified at the site, to the west of the Cerén village center where manioc beds were

discovered in a road cut in 2009 (Figure 5). In light of the manioc field discoveries, reassessment of previous geophysical and drilling investigations from 2005 also suggests that there might be further manioc fields in this region.

Continued research at Cerén will provide better data from which to assess the role of manioc at the site. Whether it was one component in a diverse agricultural system, a staple crop produced for village consumption, or a specialized cultigen traded in the Zapotitán Valley remains to be determined. We are only now beginning to understand how the villagers themselves organized manioc production, processed and consumed manioc, and even how they might have perceived of manioc in terms of mundane and ritual uses. To ascertain the role of manioc at Cerén will require further documentation of the extent of cultivation and the interpretation of evidence pertaining to rituals. What is clear at present is that these data are providing a link between agriculture and ritual in the Maya area and that the manioc fields of Cerén continue to change our view of the agricultural landscape of Classic Period Maya.

Acknowledgments

Thankfully Nancy Gonlin, Errin Weller, and Payson Sheets reviewed earlier drafts of this paper and significantly aided in its development. Any errors are my own. Many thanks are due to Quezada Perla, Darna Dufour, and Matt Sponheimer for their expertise. Gratitude is also owed to CON-CULTURA, El Salvador, the government of El Salvador, and the people of Joya de Cerén. Thank you Payson Sheets, David Lentz, Larry Conyers, Errin Weller, Monica Guerra, Adam Blanford, George Maloof, Anaie Hood, Andy Tetlow, and all others who have shared in research at Joya de Cerén. The tireless dedication and work of Payson Sheets and many archaeologists who have worked at Cerén continues to provide a solid foundation for this and future research. Finally my deepest gratitude is owed to my family- Nanny, Mom, Dad, Mickie, Lance, Tommy, Sierra, Savannah, Lance Jr., James, and Matthew- and to my amazing and patient wife Lauren.

References Cited

Beach, T., S. Luzzadder-Beach, N. Dunning, J. Hageman, and J. Lohse [2002]. «Upland Agriculture in the Maya Lowlands: Ancient Maya Soil Conservation in Northwestern Belize». *The Geographical Review* 92 (3): 372-397.

Bronson, B. [1966]. «Roots and the Subsistence of the Ancient Maya». Southwestern Journal of Anthropology 22: 251-79.

Brown, L. [2001]. «Feasting on the Periphery: The Production of Village Festivals and Rituals Feasting at Cerén, El Salvadon». In Feasts: Archaeological and Ethnographic Perspectives on Food, Power, Politics, edited by B. Hayden and M. Dietler, 368-390. Washington, DC.: Smithsonian Institution Press.

Cock, J. [1985]. Cassava: New Potential for a Neglected Crop. Boulder, CO: Westview Press.

Crane, Cathy J. [1996]. «Archae-obotanical and Palynological Research at a Late Preclassic Maya Community, Cerros, Belize». In The Managed Mosaic: Ancient Maya Agriculture and Resource Use, S. L. Fedick (ed.), 262-277. Salt Lake City, UT: University of Utah Press.

Dietler, M. and B. Hayden [2001]. Feasts: Archaeological and Ethnographic Perspectives on Food, Power, Politics. Washington, DC: Smithsonian Institution Press.

Dietler, M. and I. Herbich [2001]. «Feasts and Labor Mobilization: Dissecting a Fundamental Economic Practice». In Feasts: Archaeological and Ethnographic Perspectives on Food, Politics, and Power, M. Dietler and B. Hayden (eds.), 1-20. Washington, DC: Smithsonian.

Dixon, Christine [2011]. «Feeding the Masses: New Perspectives on Maya Agriculture from Cerén El Salvador». In Living on the Land: The Complex Relationship between Population and Agriculture in the Americas, John D. Wingard and Sue Hayes (eds.),160-198. Denver: University of Colorado Press, in press.

Organization and Field Boundaries: A brief look at Cerén, El Salvador». Paper presented at the 75th Annual Society for American Archaeology Meeting, St. Louis, Missouri.

----- [2009]. «Manioc Agriculture in Report of the 2009 Maya Agricultural Project South of Joya de Cerén, El Salvadon». Enlace Academico Centroamericano, Fundacion Clic. San Salvador, El Salvador. (www.colorado. edu/Anthropology/people/bios/sheets.html)

------ [2007]. «Classic Period Maya Agriculture: Test Pits 1 and 2, 5 and 6». In 2007 South of Cerén Technical Report to Concultura, P. Sheets (ed.). San Salvador, El Salvador.

Dunning, Nicholas P. [1996]. «Reexamination of Regional Variability in the Pre-Hispanic Agricultural Landscape». In Managed Mosaic: Ancient Maya Agriculture and Resource Use, S. Fedick (ed.), 53-68. Salt Lake City, UT: University of Utah Press.

------ [1992]. Lords of the hills: ancient Maya settlement of the Puuc region, Yucatan, Mexico. Madison, WI: Prehistory Press.

----- [1989]. «Archaeological Investigations at Sayil, Yucatan: Intersite Surveys and Soil Studies». In *University of Pittsburgh Anthropological Papers* No. 2. Pittsburgh, PA.: University of Pittsburgh.

Fedick, Scott L. (ed.) [1996]. «The Managed Mosaic: Ancient Maya

Agriculture and Resource Use». Salt Lake City, UT: University of Utah Press.

Fedick, Scott L., and Anabel Ford [1990]. «Prehistoric Agricultural Landscape of the Central Maya Lowlands: An Examination of Local Variability in a Regional Context». World Archaeology 22(1):18-33.

Flannery, K. V. (ed.)[1982]. Maya Subsistence: Studies in Memory of Dennis E. Puleston. New York: Academic Press.

Gonlin, N. and C. Dixon (Eds.) [2011]. «A Twist on the Tortilla: Manioc at Ceren and Its Implications for Mesoamerica». Society for American Archaeology 76th Annual Meeting March 31. Sacramento, CA.

Gonlin, N. and J. Lohse [2007]. Commoner Ritual And Ideology in Ancient Mesoamerica. Boulder, CO: University of Colorado Press.

Hansen, M. [1983]. «Yuca». In Costa Rican Natural History, edited by Daniel Janzen. Chicago, IL: University of Chicago Press.

Heindel, Theresa [2011]. «Seeking Durable Indicators of Manioc Processing: Scrapers». Society for American Archaeology 76th Annual Meeting March 31. Sacramento, CA.

Hirth, Kenneth G. [2009]. «Chapter 2. Craft Production, Household Diversification, and Domestic Economy in Prehispanic Mesoamerica». In Housework: Craft Production and Domestic Economy in Ancient Mesoamerica, 13-32. Archaeological Papers of the American Anthropological Association, Number 19. Wiley, Hoboken.

Killion, T.A., J.A. Sabloff, G.Tourtellor, and N.P. Dunning [1989]. «Intensive Surface Collection of Residential Clusters at Terminal Classic Sayil, Yucatan, Mexico». *Journal of Field Archaeology* 16(3):273-294.

Lentz, D. L., M. Beaudry-Corbett, M.L. Reyna de Aguilar, and L. Kaplan [1996]. «Foodstuffs, forests, fields and shelter: A paleoethnobotanical analysis of vessel contents from the Cerén site, El Salvadon». Latin American Antiquity 7(3): 247-262.

Masson, M. [1999]. «Animal Resource Manipulation in Ritual and Domestic Contexts at Postclassic Maya Communities». World Archaeology 31(1): 93-121.

Miksieck, C.H. [1991]. «The Ecology and Economy of Cuello I: the natural and cultural landscape of

Preclassic Cuello», In *Cuello: an early Maya community in Belize*, N. Hammond (ed.), 70-84. Cambridge, MA: Cambridge University Press.

Murtha, T. M. Jr. [2002]. «Land and Labor: Classic Maya Terrace Agriculture at Caracol, Belize». Unpublished Ph.D. dissertation. Pennsylvania State University: Pittsburgh, PA.

Pohl, M. [1981]. «Ritual Continuity and Transformation in Mesoamerica. Reconstructing the Ancient Cuch Ritual». *American Antiquity* 46: 513-529.

Pohl, M. D., K. O. Pope, J. G. Jones, J. S. Jacob, D. R. Piperno, S. D. DeFrance, D. L. Lentz, J. A. Gifford, M. E. Danforth, and J. K. Josserand [1996]. «Early Agriculture in the Maya Lowlands». *Latin American Antiquity* 7 (4): 355-72.

Pope, K., M. Pohl, J. Jones, D.Lentz, C. Von Nagy, F. Vega, and I. Quitmyer [2001]. «Origin and Environmental Setting of Ancient Agriculture in the Lowlands of Mesoamerica». *Science* 292:1370-74.

Robin, C. [2006]. «Gender, Farming, and Long-Term Change: Maya Historical and Archaeological Perspectives». *Current Anthropology* 47:3.

----- [2003]. «New Directions in Classic Maya Household Archaeology». *Journal of Archaeological Research* 11:4: 307-356.

----- [1999]. «Towards an archaeology of everyday life: Maya farmers of Chan Noòhol, Belize» .Ph.D. Dissertation. Philadelphia, PA: University of Pennsylvania.

Sheets, P.D. [2011]. «Seeking Durable Indicators of Manioc Processing: Obsidian Cutting Edges». Society for American Archaeology 76th Annual Meeting March 31. Sacramento, CA.

----- (ed.) [2009]. «Report of the 2009 Maya Agricultural Project South of Joya de Cerén, El Salvador», Enlace Académico Centroamericano, Fundación Clic. San Salvador, El Salvador.

------ [2006]. The Cerén Site: A Prehistoric Village Buried by Volcanic Ash in Central America (2nd Edition). Case Studies in Archaeology Series. New York, NY: Harcourt Brace Collage Publishers.

----- (ed.) [2002]. Before the Eruption: The Ancient Cerén Villa-

ge in Central America. Austin, TX: University of Texas Press.

Sheets, P. D., C. C. Dixon, A. Blanford, and M. Guerra [2009]. Descubrimientos de Investigaciones Geofísicas y Arqueológicas al Sur de Joya de Cerén. In Press: El Salvador Investiga. San Salvador: Concultura.

Sheets, P. D. and M. Woodward [2002]. «Cultivating biodiversity: Milpas, Gardens, and the Classic Period landscape». In Before the Volcano Erupted: The Ancient Cerén Village in Central America, P.D. Sheets (ed.), 184-191. Austin: University of Texas Press.

Webb, E.A., H.P. Schwarcz., & Healy, P.F. [2004]. «Carbon isotope evidence for ancient maize agriculture in the Maya lowlands». *Journal of Archaeological Science*, 31, 1039–1052.

Wingard, J. and S. Hayes (eds.) [2011]. Living on the Land: The Complex Relationship between Population and Agriculture in the Americas. Denver: University of Colorado Press, in press.

